

SPECIAL SERIES



Easy Power *XL D*

New high-pressure water blasting units with 37 kW diesel engine



PTC
Water Jetting Equipment

Easy Power XL D: the diesel po Flexibility and independence in

SKID VERSION



TROLLEY VERSION



wer in a compact unit every application

POWERED BY



GENERAL FEATURES

- Sturdy painted tubular frame with anti-corrosion treatment
- AISI 304 stainless-steel coated panels
- Practical housings for gun and lance
- Hatz soundproofed 3-cylinder engine
- Belt-pulley transmission
- Industrial low-voltage (24V) power and control panel
- Available in **skid version** with 4x anti-vibration feet or in **trolley version** with 2 x ø 400 solid wheels with steel axle and ball bearings + 2 castor wheels with brake

OPTIONAL

- Water tank + booster pump
- Total protective and soundproofed paneling

*Ideal for all applications in absence of
High quality construction design*




ce of electrical power supply ed to last over time

POWERED BY
HPP
Brand of Comet


SECTORS OF USE




High-pressure cleaning companies




Building sites and boatyards



Iron and steel works and mechanical engineering firms



Food-industry companies



Oil, chemical and energy companies

MAIN APPLICATIONS



Removal of paint, rust and graffiti from steel and/or concrete surfaces



Cleaning building scaffolding



Removal of scale deposits and/or marine fouling



Cleaning ships' decks



Cleaning ships' hulls



Hydosandblasting

EASY POWER XL

47/400 - 38/500 - 30/600



STANDARD FEATURES

- HPP ELH 47/400, ELH 38/500 and ELH 30/600 pumps
- Direct water suction
- S/S DN100 pressure gauge with glycerin
- Unloader valve in stainless steel with pressure release (reset at 50% of set pressure)
- S/S safety valve
- 150 microns water filter (with replaceable cartridge)

OPTIONAL FEATURES

- Dual operator version
- Remote cable emergency stop
- Pump oil over-temperature alarm switch
- Low water pressure switch alarm at pump inlet
- Water tank with booster pump

RECOMMENDED ACCESSORIES

High pressure gun with lance (1,2 mt)	Fan shape nozzle (15°-25°)	20 mt high pressure hose with S/S quick couplings

OTHER OPTIONAL ACCESSORIES

Round jet nozzle 0°	Rotary nozzle	Foot valve complete with pipe flushing probe and reaction nozzle	Sandblasting nozzle	20 mt delivery hose extension kit with quick couplings	Stainless steel hose reel kit with 20 mt 3/8" rubber hose	Protection clothing TST	Hot water mobile generator

MODEL	CODE	PUMP	RPM								
				bar	psi	l/min	US gpm	HP	kW		
EASYPower XL 400 D Skid	2.58AC.HK3.0001	ELH 47/400	1000	400	5800	47	12,4	50	37	740	160x123x113
EASYPower XL 400 D Trolley	2.58AF.HK3.0001	ELH 47/400	1000	400	5800	47	12,4	50	37	740	160x132x120
EASYPower XL 500 D Skid	2.58AC.HK3.0002	ELH 38/500	1000	500	7250	38	10,0	50	37	740	160x123x113
EASYPower XL 500 D Trolley	2.58AF.HK3.0002	ELH 38/500	1000	500	7250	38	10,0	50	37	740	160x132x120
EASYPower XL 600 D Skid	2.58AC.IK3.0001	ELH 30/600	1000	600	8700	30	7,9	50	37	740	160x123x113
EASYPower XL 600 D Trolley	2.58AF.IK3.0002	ELH 30/600	1000	600	8700	30	7,9	50	37	740	160x132x120

EASY POWER XL

19/1000



STANDARD FEATURES

- HPP EV 19/1000 pump
- S/S DN100 pressure gauge with glycerin
- Manual pressure adjustment valve and bypass recirculating line
- Safety valve with rupture disc
- 150 microns water filter with replaceable cartridge. 20 micron S/S water filter at pump inlet (booster outlet)
- Low water pressure switch alarm at pump inlet
- 2 x Safety hose whip stops according to EN 1829-2

OPTIONAL FEATURES

- Remote cable emergency stop
- Pump oil over-temperature alarm switch
- Water tank

RECOMMENDED ACCESSORIES

High pressure «Dump» gun with lance (1 mt)	Fan shape nozzle (15°)	20 mt high pressure hose

OTHER OPTIONAL ACCESSORIES

Round jet nozzle 0°	Rotary nozzle	Foot valve complete with pipe flushing probe and reaction nozzle	Quick couplings on pump, delivery hose and gun	20 mt delivery hose extension kit	Protection clothing TST

MODEL	CODE	PUMP	RPM								
				bar	psi	l/min	US gpm	HP	kW		
EASYPower XL 1000 D Skid	2.58AC.IK3.0002	EV 19/1000	900	1000	15000	19	5,0	50	37	760	160x123x113
EASYPower XL 1000 D Trolley	2.58AF.IK3.0003	EV 19/1000	900	1000	15000	19	5,0	50	37	760	160x132x120

www.ptcitaliana.com



P.T.C. S.r.l. - Via Mantegna, 4 - 42048 Rubiera (RE) - Italy
tel: +39 0522 1932911 - fax: +39 0522 1932922
info@ptcitaliana.com - www.ptcitaliana.com